


**PACKAGE OUTLINE**




⊕ 0.25(M) C A B

SYMBOL	TO-LL Value	
	Min	Max
A	2.15	2.45
A1	1.80 REF	
b	0.65	0.90
b1	9.65	9.95
b3	1.10	1.30
c	0.40	0.60
D	10.18	10.58
D1	10.88	11.28
D2	3.15	3.45
D4	4.40	4.70
E	9.70	10.10
E1	7.95	8.25
E2	0.60	0.80
e	1.20 BSC	
H	11.48	11.88
H1	6.80	7.10
i	0.10 REF	
j1	0.46 REF	
j2	0.20 REF	
K	2.80 REF	
L	1.40	2.10
L1	0.50	0.90
L2	0.48	0.72
L3	0.30	0.80
Q	6.80 REF	
R	3.00	3.20

**Note:**


1. All dimensions in millimeters
2. Dimensions does not include Burrs and Mold Flashes

**PART MARKING**




**PACKING TYPE**

*Carrier Tape*



*Reel*



All dimensions in millimeters  
Quantity per Reel: 2000 units

	TOLL PACKAGE OUTLINE, PART MARKING, TAPE AND REEL SPECIFICATION	Page 4 of 4
	DS_TOLL	Rev B

**DISCLAIMER**

The information contained herein is believed to be reliable; however, Qorvo makes no warranties regarding the information contained herein and assumes no responsibility or liability whatsoever for the use of the information contained herein. All information contained herein is subject to change without notice. Customers should obtain and verify the latest relevant information before placing orders for Qorvo products. The information contained herein, or any use of such information does not grant, explicitly or implicitly, to any party any patent rights, licenses, or any other intellectual property rights, whether with regards to such information itself or anything described by such information. THIS INFORMATION DOES NOT CONSTITUTE A WARRANTY WITH RESPECT TO THE PRODUCTS DESCRIBED HEREIN, AND QORVO HEREBY DISCLAIMS ANY AND ALL WARRANTIES WITH RESPECT TO SUCH PRODUCTS WHETHER EXPRESS OR IMPLIED BY LAW, COURSE OF DEALING, COURSE OF PERFORMANCE, USAGE OF TRADE OR OTHERWISE, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Without limiting the generality of the foregoing, Qorvo products are not warranted or authorized for use as critical components in medical, lifesaving, or life-sustaining applications, or other applications where a failure would reasonably be expected to cause severe personal injury or death.

**REVISION HISTORY**

Revision	Create Date (mm/dd/yyyy)	Description of Change	Initiator of Change
A	10/13/2023	Initial Production Release	Glenn Galang
B	01/31/2024	Corrected device orientation inside carrier tape pocket (Page 3)	Glenn Galang